

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**

10mm

Flywheel / Crank Bolts

INCLUDED CRANKSHAFT BOLTS ARE DESIGNED TO TORQUE DIRECTLY AGAINST THE FLYWHEEL. IF SO EQUIPPED, PLEASE DO NOT RE-USE THE OE CRANKSHAFT BOLT PLATE WITH YOUR NEW FLYWHEEL.

A small amount of threadlocking compound is recommended on all clutch fasteners. DO NOT use a washer with this flywheel bolt.

Tighten all bolts evenly, ¼ turn at a time in a crisscross pattern until flywheel is completely drawn-up to the crankshaft.

Torque all bolts in 3 steps:

First to 25 ft/lbs. then 50 ft/lbs.

Final torque to: 70 - 72 ft/lbs.

Note: These specifications apply only to the fasteners supplied by Centerforce.

110CB002 **CENTERFORCE TECH. LINE (928) 771-8422**